



Visit product page

## FOS ARENA ZOOM 20X40 IP65

L006232



High-performance outdoor IP65 professional Zoom bar, 20x 40W RGBW LED, motorized zoom: 3°- 60°, linear dimmer: 0-100%, motorized tilt movement: 205°, full pixel control, Variable CTO: 2.700K - 8.000K, Dimmer: 0-100% linear dimmer, Variable color temperature which ranges from 2.700 K to 8.000 Kelvin.

### TECHNICAL DETAILS

#### Product description

Moving bar fixture, with zoom function, RGBW color mixing, and pixel control, is suitable for outdoor use.

#### Light source / Optics

Features 20x 40 Watt RGBW LED light sources, with an approximate life span of 50.000 hours.

Motorized zoom, from 3 to 60 degrees.

Variable color temperature which ranges from 2.700 K to 8.000 Kelvin.

#### Effects

Tilt movement of 205 degrees.

RGBW color mixing, with independent pixel control function.

#### Control

DMX, Master / Slave, Sound & Auto control modes.

DMX control with 34, 20, 35, 88, 89, 48 & 49 Channels.

#### Technical Specifications

Power input: 100/240 Volt AC, 50/60 Hz.

Power consumption: 800 Watt max.

16-bit Tilt movement.

LCD display for accessing the options menu.

IP PowerCON input and output plugs.

3pin XLR for DMX connection.

IP65 protection rate against water sprays and dust.

Dimensions: 1101 x 122 x 351

Net Weight: 25.5 Kg

## PHOTOS



## PRODUCT VIDEO



## ACCESSORIES



FOS case Arena Zoom  
20x40 IP65

Double Flight case with wheels for the Arena Zoom



FOS case Arena Zoom  
20x40 IP65 4in1

Flight case with wheels for TruePowercon/ DMX cable 4 pcs Arena Zoom 20x4



FC-TP-PDC-5  
Professional

5 meter.



FC-TP-PDC-3  
Professional

3 meter.



FC-TP-PDC-1.5  
Professional

1.5 meter.

